ELSEVIER

Physica C 280 (1997) 337–340

PHYSICA C

Author Index to Volume 280

Abakumov, A.M., see Shpanchenko, R.V., **280**, 272
Abe, Y., see Tamura, H., **280**, 109
Abrashev, M.V., C. Thomsen and M. Surtchev, Doping effects in the $Sr_{14}Cu_{24}O_{41}$-type structure: a Raman scattering study, **280**, 297
Adrian, H., see Wienss, A., **280**, 158
Afonso, S., see Xiong, Q., **280**, 17
Aldinger, F., see Szillat, H., **280**, 43
Antipov, E.V., see Shpanchenko, R.V., **280**, 272
Ardashnikova, E.I., see Shpanchenko, R.V., **280**, 272

Balakrishnan, G., see Tomy, C.V., **280**, 1
Bert, N.A., A.V. Lunev, Yu.G. Musikhin, R.A. Suris, V.V. Tret'yakov, A.V. Bobyl, S.F. Karmanenko and A.I. Dedoborez, Mechanisms of cation defect formation in epitaxial $YBa_2Cu_3O_{7-x}$ films, **280**, 121
Bhagwat, K.V. and P. Chaddah, Flux penetration in thin superconductor films with field dependent critical current density, **280**, 52
Bin, D.S., see Li, D.M., **280**, 211
Bobyl, A.V., see Bert, N.A., **280**, 121
Bock, A., see Rübhausen, M., **280**, 77
Brecht, E., see Fuchs, D., **280**, 167

Can, C.G., see Li, D.M., **280**, 211
Caranoni, C., see Marfaing, J., **280**, 21
Chaddah, P., see Bhagwat, K.V., **280**, 52
Chan, F.T., see Xiong, Q., **280**, 17
Chaudhary, S., S.C. Kashyap, D.K. Pandya and V.N. Kulkarni, Atomic disorder in low pressure rf-sputtered YBCO superconducting thin films, **280**, 37
Chauhan, H.S., see Muralidhar, M., **280**, 200
Chaves, F.A.B., see Tea, N.H., **280**, 281
Chen, K.Y., see Xiong, Q., **280**, 17
Chen, L.J., see Huang, Y.T., **280**, 187
Cheng, Z.H., see Xiong, X.M., **280**, 266
Choi, S.S., see Kim, Y.H., **280**, 304
Clin, M., K. El boussiri, J. Henocque, J. Schneck, J.C. Toledano, F. Portemer and D. Morin, Discommensuration patterns in the Bi–Sr–Ca–Cu–O high T_c superconductors, **280**, 9
Collien, A.J., see Senoussi, S., **280**, 137
Cornige, M.J., see Senoussi, S., **280**, 137
Cui, D.F., see Xiong, X.M., **280**, 266

Davydov, D.N., see Hancotte, H., **280**, 71
Debierre, J.M., see Marfaing, J., **280**, 21
Dedoborez, A.I., see Bert, N.A., **280**, 121
Deltour, R., see Hancotte, H., **280**, 71
Dieckmann, N., see Rübhausen, M., **280**, 77

Eagles, D.M., Erratum to "Possible high-current superconductivity at room temperature in oxidised polypropylene and other quasi one-dimensional systems". [Physica C 225 (1994) 222], **280**, 335
El boussiri, K., see Clin, M., **280**, 9
Endo, A., see Watanabe, Y., **280**, 215
Enisz, M., see Mamalis, A.G., **280**, 289

Feng, J., see Hung, K.C., **280**, 317
Field, M.B., D.C. Larbalestier, A. Parikh and K. Salama, Critical current properties and the nature of the electromagnetic coupling in melt-textured $YBa_2Cu_3O_{6+x}$ bicrystals of general misorientation, **280**, 221
Freitag, B., see Kazin, P.E., **280**, 253
Fuchs, D., E. Brecht, P. Schweiss, I. Loa, C. Thomsen and R. Schneider, Growth and characterization of a-axis oriented $YBa_2Cu_3O_{7-x}$ thin films on (100) $LaSrGaO_4$ substrates, **280**, 167
Fujihara, S., Y. Masuda, J.-S. Jin, T. Kimura and K. Tanabe, A novel sol–gel route to superconducting oxyfluoride $Sr_2Cu(O,F)_y$ thin films, **280**, 115

Geiser, U., see Tea, N.H., **280**, 281
Gherardi, L., see Gömöry, F., **280**, 151
Giannetta, R., see Tea, N.H., **280**, 281
Gömöry, F. and L. Gherardi, Transport AC losses in round superconducting wire consisting of two concentric shells with different critical current density, **280**, 151
Grovenor, C.R.M., see Senoussi, S., **280**, 137
Gu, G.D., see Miles, P.A., **280**, 66

Haga, T., see Tamura, H., **280**, 109
Hahn, T.S., see Kim, Y.H., **280**, 304
Hampshire, D.P., Critical currents and the critical state in superconductors with magnetic ions, **280**, 269
Hancotte, H., D.N. Davydov, R. Deltour, A.G.M. Jansen and P. Wyder, Break junction measurements on $Bi_2Sr_2Ca_1Cu_2O_{8+x}$ single crystals: analysis of the superconducting pairing symmetry, **280**, 71
Henocque, J., see Clin, M., **280**, 9

Hirabayashi, I., see Matsuda, K., **280**, 84
Horng, L., see Wei, J.C., **280**, 311
Hua, L.J., see Li, D.M., **280**, 211
Huang, Y.T. and L.J. Chen, Microstructural evolution and the role of Pb atmosphere in forming Bi-2223 superconductor, **280**, 187
Hung, K.C., C.C. Lam, X. Jin, J. Feng and H.M. Shao, Vortex dynamics in Pb-doped Hg-1234 superconductor by AC susceptibility response, **280**, 317

Ichida, M., see Matsuda, K., **280**, 84
Imagawa, Y., K. Kakimoto and Y. Shiohara, Effect of unidirectional solidification rate on J_c for current lead, **280**, 245

Jakob, G., see Wienss, A., **280**, 158
Jansen, A.G.M., see Hancotte, H., **280**, 71
Jansen, M., see Kazin, P.E., **280**, 253
Ji, H.L., see Yu, Y., **280**, 205
Jin, J.-S., see Fujihara, S., **280**, 115
Jin, X., see Hung, K.C., **280**, 317
Jin, X., see Yu, Y., **280**, 205

Kakimoto, K., see Imagawa, Y., **280**, 245
Kamada, K., see Muralidhar, M., **280**, 200
Kang, J.H., see Kim, Y.H., **280**, 304
Kang, S.-J.L., see Shin, D.C., **280**, 142
Karmanenko, S.F., see Bert, N.A., **280**, 121
Kashyap, S.C., see Chaudhary, S., **280**, 37
Kawamoto, K., see Matsuda, K., **280**, 84
Kazin, P.E., V.V. Poltavets, Y.D. Tretyakov, M. Jansen, B. Freitag and W. Mader, Study on the superconducting composite material formation in the system $Bi_2Sr_2CaCu_2O_{8+x}$/Al-containing phases, **280**, 253
Kennedy, S.J., see Miles, P.A., **280**, 66
Kilic, A., see Senoussi, S., **280**, 137
Kilic, H.K., see Senoussi, S., **280**, 137
Kim, Y.H., J.H. Kang, J.M. Lee, T.S. Hahn, S.S. Choi and S.J. Park, Operation of high-T_c SFQ devices at near liquid nitrogen temperature, **280**, 304
Kimura, T., see Fujihara, S., **280**, 115
Klostermann, U., see Tea, N.H., **280**, 281
Koshizuka, N., see Miles, P.A., **280**, 66
Kotsis, I., see Mamalis, A.G., **280**, 289
Kovba, M.L., see Shpanchenko, R.V., **280**, 272
Kronmüller, H., see Szillat, H., **280**, 43
Kuhn, H., see Szillat, H., **280**, 43
Kulkarni, V.N., see Chaudhary, S., **280**, 37

Lam, C.C., see Hung, K.C., **280**, 317
Larbalestier, D.C., see Field, M.B., **280**, 221
Lebedev, O.I., see Shpanchenko, R.V., **280**, 272
Lee, J.M., see Kim, Y.H., **280**, 304
Li, D.M., D.H. Shan, D.S. Bin, L.J. Hua, J. Yong, T.B. Ting and C.G. Can, Electric field gradient measurements on ^{111}Cd in the high-T_c superconductor $Bi_{1.7}Pb_{0.3}Sr_2Ca_2Cu_3O_y$, **280**, 211
Li, L., see Xiong, X.M., **280**, 266
Liu, F.-s. and J.-y. Wang, On the magnitude of the gap along Gamma-X in the CuO_2 plane of B2212, **280**, 61
Loa, I., see Fuchs, D., **280**, 167
Lu, H.B., see Xiong, X.M., **280**, 266
Lunev, A.V., see Bert, N.A., **280**, 121

Mader, W., see Kazin, P.E., **280**, 253
Majewski, P., see Szillat, H., **280**, 43
Mamalis, A.G., I. Kotsis, G. Pantazopoulos, M. Enisz, A. Szalay and D.E. Manolakos, The effect of heat treatment on explosively compacted (Y–Ba–K–Cu–O) superconductive powders, **280**, 289
Manolakos, D.E., see Mamalis, A.G., **280**, 289
Marfaing, J., S. Regnier, J.M. Debierre and C. Caranoni, Insulating–(super)conducting transitions in new ferroelectric–superconductor composites: $Pb_2(ScTa)O_6$ – $YBa_2Cu_3O_{7-\delta}$, **280**, 21
Marimuthu, K.N., M.S. Ramachandra Rao and U.V. Varadaraju, Phase formation and superconductivity in $REBaSrCu_{3-x}(PO_4)_xO_y$ $(0 \le x \le 0.3)$, **280**, 327
Masuda, Y., see Fujihara, S., **280**, 115
Matsuda, K., M. Ichida, A. Nakamura, K. Kawamoto, T. Nabatame and I. Hirabayashi, Femtosecond spectroscopic studies of photodoping effects in insulating $YBa_2Cu_3O_{6+x}$ and Nd_2CuO_4 thin films, **280**, 84
McIntyre, G.J., see Miles, P.A., **280**, 66
Merkt, U., see Rübhausen, M., **280**, 77
Miles, P.A., S.J. Kennedy, G.J. McIntyre, G.D. Gu, G.J. Russell and N. Koshizuka, Diffuse features in neutron diffraction studies of high quality Bi-2212 single crystals, **280**, 66
Miyake, K., see Watanabe, Y., **280**, 215
Moore, J.C., see Senoussi, S., **280**, 137
Morin, D., see Clin, M., **280**, 9
Murakami, M., see Muralidhar, M., **280**, 200
Muralidhar, M., H.S. Chauhan, T. Saitoh, K. Segawa, K. Kamada and M. Murakami, Grain growth and superconducting properties of (Sm,Eu,Gd)–Ba–Cu–O, **280**, 200
Murata, K., see Watanabe, Y., **280**, 215
Musikhin, Yu.G., see Bert, N.A., **280**, 121

Nabatame, T., see Matsuda, K., **280**, 84
Naito, M., see Sato, H., **280**, 178
Nakamura, A., see Matsuda, K., **280**, 84

Ono, A., Superconductivity in $Ba_{2-y}Y_{1+y}Cu_{3-x}Ga_xO_z$ annealed at 2 GPa, **280**, 93

Pandya, D.K., see Chaudhary, S., **280**, 37
Pantazopoulos, G., see Mamalis, A.G., **280**, 289
Parikh, A., see Field, M.B., **280**, 221
Park, J.-C., see Shin, D.C., **280**, 142
Park, S.J., see Kim, Y.H., **280**, 304
Park, Y.K., see Shin, D.C., **280**, 142
Paul, D.McK., see Tomy, C.V., **280**, 1
Peng, Z.Q., see Xiong, X.M., **280**, 266
Poltavets, V.V., see Kazin, P.E., **280**, 253

Portemer, F., see Clin, M., **280**, 9
Putilin, S.N., see Shpanchenko, R.V., **280**, 272

Qin, M.J., see Yu, Y., **280**, 205

Ramachandra Rao, M.S., see Marimuthu, K.N., **280**, 327
Regnier, S., see Marfaing, J., **280**, 21
Rong, X.S., see Yu, Y., **280**, 205
Rozova, M.G., see Shpanchenko, R.V., **280**, 272
Rübhausen, M., N. Dieckmann, K.-O. Subke, A. Bock and U. Merkt, Investigation of the temperature, resonance, and symmetry properties of the spin-fluctuation intensity of $Y_{0.8}Pr_{0.2}Ba_2Cu_3O_7$ using Raman spectroscopy, **280**, 77
Russell, G.J., see Miles, P.A., **280**, 66

Saitoh, T., see Muralidhar, M., **280**, 200
Salama, K., see Field, M.B., **280**, 221
Salamo, G., see Xiong, Q., **280**, 17
Salamon, M.B., see Tea, N.H., **280**, 281
Sarkar, S., Isotope-shift exponent and the gap ratio within the extended saddle point singularity scenario for different pairing symmetries, **280**, 29
Sato, H., M. Naito and H. Yamamoto, Superconducting thin films of $La_2CuO_{4+\delta}$ by oxygen doping using ozone, **280**, 178
Schneck, J., see Clin, M., **280**, 9
Schneider, R., see Fuchs, D., **280**, 167
Schuster, Th., see Szillat, H., **280**, 43
Schweiss, P., see Fuchs, D., **280**, 167
Seeger, M., see Szillat, H., **280**, 43
Segawa, K., see Muralidhar, M., **280**, 200
Senoussi, S., A. Kilic, H.K. Kilic, J.C. Moore, C.R.M. Grovenor, A.J. Collien and M.J. Cornige, The critical current density of Tl-1212 and 1223-based superconductors, **280**, 137
Shan, D.H., see Li, D.M., **280**, 211
Shao, H.M., see Hung, K.C., **280**, 317
Shao, H.M., see Yu, Y., **280**, 205
Shin, D.C., Y.K. Park, J.-C. Park, S.-J.L. Kang and D.Y. Yoon, Cation disorder and gas phase equilibrium in an $YBa_2Cu_3O_{7-x}$ superconducting thin film, **280**, 142
Shiohara, Y., see Imagawa, Y., **280**, 245
Shiohara, Y., see Watanabe, Y., **280**, 215
Shpanchenko, R.V., M.G. Rozova, A.M. Abakumov, E.I. Ardashnikova, M.L. Kovba, S.N. Putilin, E.V. Antipov, O.I. Lebedev and G. Van Tendeloo, Inducing superconductivity and structural transformations by fluorination of reduced YBCO, **280**, 272
Subke, K.-O., see Rübhausen, M., **280**, 77
Suris, R.A., see Bert, N.A., **280**, 121
Surtchev, M., see Abrashev, M.V., **280**, 297
Szalay, A., see Mamalis, A.G., **280**, 289
Szillat, H., H. Kuhn, Th. Schuster, P. Majewski, M. Seeger, F. Aldinger and H. Kronmüller, Magnetic phase transitions and structural deficiencies in superconducting Y–Ni–B–C, **280**, 43

Tamura, H., T. Haga and Y. Abe, Characterization of electrochemically grown $Ba_{1-x}K_xBiO_3$ single crystals by ion channeling methods, **280**, 109
Tanabe, K., see Fujihara, S., **280**, 115
Tea, N.H., F.A.B. Chaves, U. Klostermann, R. Giannetta, M.B. Salamon, J.M. Williams, H.H. Wang and U. Geiser, Vortex penetration depth of κ-$(ET)_2Cu[N(CN)_2]Br$, **280**, 281
Thomsen, C., see Abrashev, M.V., **280**, 297
Thomsen, C., see Fuchs, D., **280**, 167
Ting, T.B., see Li, D.M., **280**, 211
Toledano, J.C., see Clin, M., **280**, 9
Tomy, C.V., G. Balakrishnan and D.McK. Paul, Regions of enhanced pinning in the mixed state of the superconductor $Yb_3Rh_4Sn_{13}$, **280**, 1
Tret'yakov, V.V., see Bert, N.A., **280**, 121
Tretyakov, Y.D., see Kazin, P.E., **280**, 253

Umeda, T., see Watanabe, Y., **280**, 215

Van Tendeloo, G., see Shpanchenko, R.V., **280**, 272
Varadaraju, U.V., see Marimuthu, K.N., **280**, 327
Voss-de Haan, P., see Wienss, A., **280**, 158

Wang, H.H., see Tea, N.H., **280**, 281
Wang, H.S., see Xiong, X.M., **280**, 266
Wang, J.-y., see Liu, F.-s., **280**, 61
Watanabe, Y., K. Miyake, A. Endo, K. Murata, Y. Shiohara and T. Umeda, Improvement of J_c properties of $Sm_{1+x}Ba_{2-x}Cu_3O_y$ superconductors by composition controlled melt growth processes in air, **280**, 215
Wei, J.C., L. Horng and T.J. Yang, Magnetic force signal of vortex creation in type-II superconducting thin films, **280**, 311
Wienss, A., G. Jakob, P. Voss-de Haan and H. Adrian, History dependence of the magnetization of thin HTSC films: an explanation for distorted SQUID signals, **280**, 158
Williams, J.M., see Tea, N.H., **280**, 281
Wyder, P., see Hancotte, H., **280**, 71

Xiong, Q., S. Afonso, K.Y. Chen, G. Salamo and F.T. Chan, $Tl_2Ba_2CaCu_2O_y$ superconducting thin films on polycrystalline Al_2O_3 substrates with textured YSZ buffer layers, **280**, 17
Xiong, X.M., Z.Q. Peng, Y.L. Zhou, Z.H. Cheng, H.B. Lu, H.S. Wang, D.F. Cui, L. Li and G.Z. Yang, Dependence of the laser-induced voltages on the oxygen content in normal state $YBa_2Cu_3O_{7-\delta}$ films, **280**, 266
Xu, X.N., see Yu, Y., **280**, 205

Yamamoto, H., see Sato, H., **280**, 178
Yang, G.Z., see Xiong, X.M., **280**, 266
Yang, T.J., see Wei, J.C., **280**, 311
Yao, X.X., see Yu, Y., **280**, 205
Ying, B., see Yu, Y., **280**, 205
Yong, J., see Li, D.M., **280**, 211
Yoon, D.Y., see Shin, D.C., **280**, 142

Yu, Y., X.N. Xu, H.L. Ji, H.M. Shao, M.J. Qin, X. Jin, X.X. Yao, X.S. Rong, B. Ying and Z.X. Zhao, Dependence of flux-creep activation energy upon current density in $HgBa_2Ca_2Cu_3O_y$, **280**, 205

Zhao, Z.X., see Yu, Y., **280**, 205
Zhou, Y.L., see Xiong, X.M., **280**, 266

ELSEVIER

Physica C 280 (1997) 341–342

PHYSICA C

Analytica Subject Index to Volume 280

Ac susceptibility
–of $REBaSrCu_{2.8}(PO_4)_{0.2}O_y$ 327
Activation energy 205
Anisotropy
–of κ-$(ET)_2Cu[N(CN)_2]Br$ 281
Annealing
–of $Ba_2YCu_{3-x}Ga_xO_z$ 93
Applications of high-T_c superconductors 304
Atomic disorder
–in YBCO thin films 37

BCS model 29
Break junction
–of $Bi_2Sr_2Ca_1Cu_2O_{8+x}$ single crystals 71

Cation defects
–in $YBa_2Cu_3O_7$ films 121
Cation disorder
–in $YBa_2Cu_3O_{7-x}$ thin film 142
Critical current density 52, 269
–in $Sm_{1+x}Ba_{2-x}Cu_3O_y$ 215
–of $(Tl_{1-x}Bi_x)(Sr_{1-y}Ba_y)_2Ca_2Cu_3O_x$ 137
–of $(Tl_{1-x}Pb_x)Ba_2CaCu_2O_x$ 137
–of Pb/Hg1234 317
–of $Tl_2Ba_2CaCu_2O_y$ thin film 17
–of $YBa_2Cu_3O_{6+x}$ 245
–of $YBa_2Cu_3O_{7-x}$ thin films 167
Critical state model 151, 158, 269
Cu–O planes
–of B2212 61
Current density
–in $HgBa_2Ca_2Cu_3O_y$ 205
Current lead 245

D-wave 71
Directional solidification 245
Discommensurations
–in Bi-Sr-Ca-Cu-O 9
Doping effect
–in $Sr_9R_5Cu_{24}O_{41}$ 297

EDX analysis
–of $Ba_2YCu_{3-x}Ga_xO_z$ 93
Electric field gradients
–in $Bi_{1.7}Pb_{0.3}Sr_2Ca_2Cu_3Oy$ 211
Electrical resistivity
–of $Pb_2(ScTa)O_6$-$YBa_2Cu_3O_{7-\delta}$ 21
–of $REBaSrCu_{2.8}(PO_4)_{0.2}O_y$ 327
–of $Tl_2Ba_2CaCu_2O_y$ thin film 17
–of $Yb_3Rh_4Sn_{13}$ 1
Electrochemical growth
–of $Ba_{1-x}K_xBiO_3$ 109
Electromagnetic coupling in MT YBaCuO bicrystals 221
Electron microanalysis
–of $YBa_2Cu_3O_7$ films 121
Electron microscopy
–on $YBa_2Cu_3O_{6.11}$ 272
Electronic structure
–of Nd_2CuO_4 84
–of $YBa_2Cu_3O_{6.2}$ 84
Explosive compaction
–of $YBa_{1.95}K_{0.05}Cu_3O_y$ 289
Extended saddle point singularity 29

Fluorination
–of $YBa_2Cu_3O_{6.11}$ 272
Flux creep
–in $HgBa_2Ca_2Cu_3O_y$ 205
Flux lattice melting
–in κ-$(ET)_2Cu[N(CN)_2]Br$ 281
Flux penetration 52
Flux pinning 269
–in $(Tl_{1-x}Bi_x)(Sr_{1-y}Ba_y)_2Ca_2Cu_3O_x$ 137
–in $(Tl_{1-x}Pb_x)Ba_2CaCu_2O_x$ 137
–in κ-$(ET)_2Cu[N(CN)_2]Br$ 281
–in $Bi_2Sr_2CaCu_2O_{8+x}$ 253
Foreign phase inclusions
–in $Bi_2Sr_2CaCu_2O_{8+x}$ 253

GAP 61
Gamma-X 61
Gap ratio 29
Gas phase equilibrium
–in $YBa_2Cu_3O_{7-x}$ thin film 142
Grain boundaries 221
Granular superconductivity 221
Heat treatment
–of $YBa_{1.95}K_{0.05}Cu_3O_y$ 289
High-T_c tapes 151
High-pressure synthesis
–of $Ba_2YCu_{3-x}Ga_xO_z$ 93

Infrared spectroscopy
–of $REBaSrCu_{2.8}(PO_4)_{0.2}O_y$ 327
Inhomogeneous critical current density 151
Initial composition 215
Ion beam assisted deposition 17
Ion channeling
–of $Ba_{1-x}K_xBiO_3$ 109
Isotope effect 29

Laser-induced voltage
–of $YBa_2Cu_3O_{7-\delta}$ films 266
Local critical temperature
–of $YBa_2Cu_3O_7$ films 121

Magnetic force 311
Magnetic irreversibilities 137
Magnetic phase transition
–in YNi_2B_xC 43
Magnetic relaxation
–in $HgBa_2Ca_2Cu_3O_y$ 205
Magnetic susceptibility
–of (Sm,Eu,Gd)$Ba_2Cu_3O_{7-x}$ 200
–of Pb/Hg1234 317
–of $YBa_{1.95}K_{0.05}Cu_3O_y$ 289
Magnetisation 52
–of $Yb_3Rh_4Sn_{13}$ 1
Magnetization 158
–of YNi_2B_xC 43
Melt process 200
Melt processing
–of $Sm_{1+x}Ba_{2-x}Cu_3O_y$ 215
Melt-texturing running title 221
Microstructure
–of (Sm,Eu,Gd)$Ba_2Cu_3O_{7-x}$ 200
–of Bi(Pb)-Sr-Ca-Cu-O 187
–of $Bi_2Sr_2CaCu_2O_{8+x}$ 253
–of $YBa_{1.95}K_{0.05}Cu_3O_y$ 289

Neutron diffraction
–on $Bi_2Sr_2CaCu_2O_{8-x}$ single crystal 66
Noise effect 304

Optical absorption
–in $YBa_2Cu_3O_{6.2}$ 84
–of Nd_2CuO_4 84
Oxidation
–of $La_2CuO_{4+\delta}$ thin films 178
Oxy-anion superconductor 327
Oxyfluoride superconductor 115
Oxygen stoichiometry
–in $YBa_2Cu_3O_{7-\delta}$ films 266
–in $YBa_2Cu_3O_{7-x}$ thin film 142

Pairing symmetries 29
Pairing symmetry 71
211 particle size 215
Pb-atmosphere 187
Penetration depth
–in κ-$(ET)_2Cu[N(CN)_2]Br$ 281
Percolation treshold
–of $Pb_2(ScTa)O_6$-$YBa_2Cu_3O_{7-\delta}$ 21
Perturbed angular correlations 211
Phase diagram
–of B2212 61
Phase formation
–of $Bi_2Sr_2CaCu_2O_{8+x}$ 253
Photodopine effects
–in Nd_2CuO_4 84
–in $YBa_2Cu_3O_{6.2}$ 84
Pinning potential 317

Raman scattering
–in $Y_{0.8}Pr_{0.2}Ba_2Cu_3O_7$ thin film 77
Raman spectroscopy
–of $Sr_9R_5Cu_{24}O_{41}$ 297
Rf magnetron sputtering
–of YBCO thin films 37

Single flux quantum 304
Sol-gel method 115
Spin fluctuations
–in $Y_{0.8}Pr_{0.2}Ba_2Cu_3O_7$ thin film 77
Spin-ladder compounds 297
Strain effect
–in $La_2CuO_{4+\delta}$ thin films 178
Structural deficiences
–in YNi_2B_xC 43
Structural phase transformation
–in Bi(Pb)-Sr-Ca-Cu-O 187
Structural transformation
–in $YBa_2Cu_3O_{6.11}$ 272
Structure
–of $Ba_{1-x}K_xBiO_3$ 109
–of $Pb_2(ScTa)O_6$-$YBa_2Cu_3O_{7-\delta}$ 21
–of $Sr_2Cu(O,F)_y$ thin films 115
–of $Sr_9R_5Cu_{24}O_{41}$ 297
–of YBCO thin films 37
–of $YBa_2Cu_3O_{6.11}$ 272
–of $YBa_2Cu_3O_{7-x}$ thin films 167
Surface analysis
–of $La_2CuO_{4+\delta}$ thin films 178
Surface morphology
–of $YBa_2Cu_3O_{7-x}$ thin films 167
Symmetry properties 77
Synthesis
–of $(Sm,Eu,Gd)Ba_2Cu_3O_{7-x}$ 200
–of $Ba_{1-x}K_xBiO_3$ 109
–of Bi(Pb)-Sr-Ca-Cu-O 187
–of $La_2CuO_{4+\delta}$ thin films 178
–of $REBaSrCu_{2.8}(PO_4)_{0.2}O_y$ 327
–of $Sm_{1+x}Ba_{2-x}Cu_3O_y$ 215
–of $Sr_2Cu(O,F)_y$ thin films 115
–of $Tl_2Ba_2CaCu_2O_y$ thin film 17
–of $YBa_2Cu_3O_{7-x}$ thin films 167
–of YNi_2B_xC 43

Thermoelectric power
–in $YBa_2Cu_3O_{7-\delta}$ films 266
Thin films 37, 52, 84, 311
Thin superconducting films 158
Transmission electron microscopy
–on Bi-Sr-Ca-Cu-O 9
Transport AC losses 151
Traveling rate 245
Triple phase diagram
–of $YBa_2Cu_3O_7$ films 121
Tunneling effect
–in $Bi_2Sr_2Ca_1Cu_2O_{8+x}$ single crystals 71
Twinning
–of $Bi_2Sr_2CaCu_2O_{8-x}$ single crystal 66

Vortex creation 311
Vortex dynamics 317

Weak coupling 221
Weak links 221

ELSEVIER

Physica C 280 (1997) 343–344

PHYSICA C

Materials Index to Volume 280

B2212
–cu–O planes 61
–phase diagram 61
$Ba_{1-x}K_xBiO_3$
–electrochemical growth 109
–ion channeling 109
–structure 109
–synthesis 109
$Ba_2YCu_{3-x}Ga_xO_z$
–annealing 93
–eDX analysis 93
–high-pressure synthesis 93
Bi(Pb)-Sr-Ca-Cu-O
–microstructure 187
–structural phase transformation 187
–synthesis 187
Bi-Sr-Ca-Cu-O
–discommensurations 9
–transmission electron microscopy 9
$Bi_{1.7}Pb_{0.3}Sr_2Ca_2Cu_3Oy$
–electric field gradients 211
$Bi_2Sr_2Ca_1Cu_2O_{8+x}$ single crystals
–break junction 71
–tunneling effect 71
$Bi_2Sr_2CaCu_2O_{8+x}$
–flux pinning 253
–foreign phase inclusions 253
–microstructure 253
–phase formation 253
$Bi_2Sr_2CaCu_2O_{8-x}$ single crystal
–neutron diffraction 66
–twinning 66

$HgBa_2Ca_2Cu_3O_y$
–current density 205
–flux creep 205
–magnetic relaxation 205

κ-$(ET)_2Cu[N(CN)_2]Br$
–anisotropy 281
–flux lattice melting 281
–flux pinning 281
–penetration depth 281

$La_2CuO_{4+\delta}$ thin films
–oxidation 178
–strain effect 178
–surface analysis 178
–synthesis 178

Nd_2CuO_4
–electronic structure 84
–optical absorption 84
–photodopine effects 84

Pb/Hg1234
–critical current density 317
–magnetic susceptibility 317
$Pb_2(ScTa)O_6$-$YBa_2Cu_3O_{7-\delta}$
–electrical resistivity 21
–percolation treshold 21
–structure 21

$REBaSrCu_{2.8}(PO_4)_{0.2}O_y$
–ac susceptibility 327
–electrical resistivity 327
–infrared spectroscopy 327
–synthesis 327

$(Sm,Eu,Gd)Ba_2Cu_3O_{7-x}$
–magnetic susceptibility 200
–microstructure 200
–synthesis 200
$Sm_{1+x}Ba_{2-x}Cu_3O_y$
–critical current density 215
–melt processing 215
–synthesis 215
$Sr_2Cu(O,F)_y$ thin films
–structure 115
–synthesis 115
$Sr_9R_5Cu_{24}O_{41}$
–doping effect 297
–raman spectroscopy 297
–structure 297

$(Tl_{1-x}Bi_x)(Sr_{1-y}Ba_y)_2Ca_2Cu_3O_x$
–critical current density 137
–flux pinning 137

$(Tl_{1-x}Pb_x)Ba_2CaCu_2O_x$
–critical current density 137
–flux pinning 137
$Tl_2Ba_2CaCu_2O_y$ thin film
–critical current density 17
–electrical resistivity 17
–synthesis 17

$Y_{0.8}Pr_{0.2}Ba_2Cu_3O_7$ thin film
–raman scattering 77
–spin fluctuations 77
YBCO thin films
–atomic disorder 37
–rf magnetron sputtering 37
–structure 37
$YBa_{1.95}K_{0.05}Cu_3O_y$
–explosive compaction 289
–heat treatment 289
–magnetic susceptibility 289
–microstructure 289
$YBa_2Cu_3O_{6+x}$
–critical current density 245
$YBa_2Cu_3O_{6.11}$
–electron microscopy 272
–fluorination 272
–structural transformation 272
–structure 272
$YBa_2Cu_3O_{6.2}$
–electronic structure 84
–optical absorption 84
–photodopine effects 84
$YBa_2Cu_3O_7$ films
–cation defects 121
–electron microanalysis 121
–local critical temperature 121
–triple phase diagram 121
$YBa_2Cu_3O_{7-\delta}$ films
–laser-induced voltage 266
–oxygen stoichiometry 266
–thermoelectric power 266
$YBa_2Cu_3O_{7-x}$ thin film
–cation disorder 142
–gas phase equilibrium 142
–oxygen stoichiometry 142

$YBa_2Cu_3O_{7-x}$ thin films
–critical current density 167
–structure 167
–surface morphology 167
–synthesis 167

YNi_2B_xC
–magnetic phase transition 43
–magnetization 43
–structural deficiences 43
–synthesis 43

$Yb_3Rh_4Sn_{13}$
–electrical resistivity 1
–magnetisation 1